



技术咨询与报价
电话：18823303057 QQ:2104028976

SMD-VAC™-GP

A general purpose vacuum handling tool that plugs directly into 110 Volt 60 Hz. This compact unit will handle most of the surface mount components used in industry today. The long life diaphragm vacuum pump generates over six inches of mercury. The unit connects to ground automatically with a three wire power cord. The SMD-VAC-GP comes complete with the following features:

- Whisper-quiet operation.
- 4 feet of coiled vacuum hose, #VCH-1/16-4.
- A set of nine vacuum tips, #VCS-9-B.
- A vacuum pick-up handle, VVP-200.
- Rubber no-skid feet.
- Produces vacuum of over six inches of mercury.
- Long life pump
- Optional side mounted handle holder.

V8000	BUY IT NOW	SMD-VAC-GP for 110 Volt	\$ 144.40	137.18	129.96
V8000-HLD	BUY IT NOW	SMD-VAC-GP for 110 Volt, with holder	\$ 161.70	153.62	145.53
V8000-X	BUY IT NOW	SMD-VAC-GP only, no tips, handles or hoses 110 Volt	\$ 109.75	104.26	98.78

Refer to pages 37-38 for small parts tips

Replacement Vacuum Tip Kits

This kit contains five bent probes with 3/32" (2.38mm), 1/8" (3.18mm), 3/16" (4.76mm), 1/4" (6.35mm), and 3/8" (9.53mm) diameter vacuum cups, as well as four straight probes with 1/8" (3.18mm), 1/4" (6.35mm), 3/8" (9.53mm) and 1/2" (12.70mm) diameter vacuum cups.

VCS-9-B	BUY IT NOW	Replacement probe/cup - Static Dissipative Buna-N Cups	\$ 18.85	17.91	16.96
VCS-9-ESD	BUY IT NOW	Replacement probe/cup - Conductive Silicone Cups	\$ 18.85	17.91	16.96

**Vacuum Interrupter Kit With Control Hole**

Designed to allow precision placement of small parts. The interrupter block controls the vacuum. The hand that holds the pen is used to position and/or rotate the part being placed while the other hand makes or breaks the vacuum by covering or uncovering the control hole on the interrupter block. Includes six feet of straight hose, handle and interrupter block.

Must be used with a continuous vacuum source.

V3024	BUY IT NOW	With 3/8" (9.53mm) diameter slim handle	\$ 52.00	49.40	46.80
V3025	BUY IT NOW	With 1/2" (12.7mm) diameter handle	\$ 52.00	49.40	46.80

Vacuum Interrupter Kit With Vacuum Control Button

Designed to allow precision placement of small parts. The interrupter block controls the vacuum. The hand that holds the pen is used to position and/or rotate the part being placed while the other hand breaks the vacuum, by tapping the button to release the part.

Includes six feet of straight hose, handle and interrupter block.

Must be used with a continuous vacuum source.

V3024-B (V3121)	BUY IT NOW	With 3/8" (9.53mm) diameter slim handle	\$ 83.50	79.33	75.15
V3025-B (V3021)	BUY IT NOW	With 1/2" (12.7mm) diameter handle	\$ 83.50	79.33	75.15

Vacuum Tips Holder

Table top luer slip vacuum tips holder with non-slip rubber feet. Posts will accommodate up to sixteen of our luer slip vacuum tips.

VTH-16	BUY IT NOW	Table top holder, holds up to sixteen luer slip vacuum tips.	\$ 41.95	39.85	37.75
---------------	-------------------	--	----------	-------	-------



1-9
10-24
25-up
PRICE EACH

1-9
10-24
25-up
PRICE EACH

1-9
10-24
25-up
PRICE EACH

1-9
10-24
25-up
PRICE EACH

1-9
10-24
25-up
PRICE EACH

1-9
10-24
25-UP
PRICE EACH

Prices subject to change without notice.



The SMD-VAC® pick-and-place tools provide a bench top vacuum generator. The whisper quiet operation makes these the choice tools for many pcb assembly operations. Parts ranging in size from 0.0075" (0.19mm) up to 4" (100mm) can easily be handled.

SMD-VAC-GP
3" X 6" X 2 1/2"
(76mm X 152mm X 64mm)



SMD-VAC™-HF

ESD-Safe Vacuum Handling Systems

SMD-VAC™-HF

Provides twice the air flow as the SMD-VAC-GP. This unit will handle any of the components used in industry today. The long life diaphragm vacuum pump generates up to 10 inches of mercury and a open air flow of 2 lpm. This unit connects to ground automatically with a three wire power cord. The SMD-VAC-HF comes complete with the following features:

- 4 feet of coiled vacuum hose, #VCH-1/16-4.
- A set of nine vacuum tips, #VCS-9-B.
- A vacuum pick-up handle, VVP-200.
- Foot print measures 8" X 3" X 3 1/2" (203mm X 75mm X 90mm).
- Rubber no-skid feet.
- Long life pump
- Optional side mound holder.

技术咨询与报价

电话: 18823303057 QQ:2104028976

V8400	BUY IT NOW	SMD-VAC-HF for 110 Volt
V8400-HLD	BUY IT NOW	SMD-VAC-HF for 110 Volt, with holder
V8400-220	BUY IT NOW	SMD-VAC-HF for 220 Volt
V8400-220-HLD	BUY IT NOW	SMD-VAC-HF for 220 Volt, with holder
V8400-X	BUY IT NOW	SMD-VAC-HF only, no tips, handles or hoses 110 Volt
V8400-220-X	BUY IT NOW	SMD-VAC-HF only, no tips, handles or hoses 220 Volt

Refer to pages 37-38 for small parts tips

1-9 10-24 25-up
PRICE EACH

\$ 230.95	219.40	207.85
\$ 249.40	236.93	224.46
\$ 230.95	219.40	207.85
\$ 249.40	236.93	224.46
\$ 196.30	186.48	176.67
\$ 196.30	186.48	176.67

Replacement Vacuum Tip Kits

This kit contains five bent probes with 3/32" (2.38mm), 1/8" (3.18mm), 3/16" (4.76mm), 1/4" (6.35mm), and 3/8" (9.53mm) diameter vacuum cups, as well as four straight probes with 1/8" (3.18mm), 1/4" (6.35mm), 3/8" (9.53mm) and 1/2" (12.70mm) diameter vacuum cups.

VCS-9-B	BUY IT NOW	Replacement probe/cup - Static Dissipative Buna-N Cups
VCS-9-ESD	BUY IT NOW	Replacement probe/cup - Conductive Silicone Cups

1-9 10-24 25-up
PRICE EACH

\$ 18.85	17.91	16.96
\$ 18.85	17.91	16.96

Vacuum Interrupter Kit With Control Hole

Designed to allow precision placement of small parts. The interrupter block controls the vacuum. The hand that holds the pen is used to position and/or rotate the part being placed while the other hand makes or breaks the vacuum by covering or uncovering the control hole on the interrupter block. Includes six feet of straight hose, handle and interrupter block.

Must be used with a continuous vacuum source.

V3024	BUY IT NOW	With 3/8" (9.53mm) diameter slim handle
V3025	BUY IT NOW	With 1/2" (12.7mm) diameter handle

1-9 10-24 25-up
PRICE EACH

\$ 52.00	49.40	46.80
\$ 52.00	49.40	46.80

Vacuum Interrupter Kit With Vacuum Control Button

Designed to allow precision placement of small parts. The interrupter block controls the vacuum. The hand that holds the pen is used to position and/or rotate the part being placed while the other hand breaks the vacuum, by tapping the button to release the part. Includes six feet of straight hose, handle and interrupter block.

Must be used with a continuous vacuum source.

V3024-B (V3121)	BUY IT NOW	With 3/8" (9.53mm) diameter slim handle
V3025-B (V3021)	BUY IT NOW	With 1/2" (12.7mm) diameter handle

1-9 10-24 25-up
PRICE EACH

\$ 83.50	79.33	75.15
\$ 83.50	79.33	75.15

Vacuum Tips Holder

Table top luer slip vacuum tips holder with non-slip rubber feet. Posts will accommodate up to sixteen of our luer slip vacuum tips.

VTH-16	BUY IT NOW	Table top holder, holds up to sixteen luer slip vacuum tips.
---------------	-------------------	--

1-9 10-24 25-UP
PRICE EACH

\$ 41.95	39.85	37.75
----------	-------	-------

Prices subject to change without notice.

For customers who do not require portability there is a selection of SMD-VAC bench top systems that are powered by line voltage.

SMD-VAC-HF
8" X 3" X 3 1/2"
(203mm X 76mm X 89mm)

Black
Aluminum
Case



SMD-VAC Tips Included



V3025

Vacuum Interrupter
Kit



V3025-B

Vacuum Interrupter
Kit



SMD-VAC™-HP

Additional pick-up power for handling small to very large size components. The precision pump and motor generate over fifteen inches of mercury. The compact tower design takes up a very small footprint on the bench. An electric eye pen holder on the side automatically shuts the unit off when the vacuum pen is placed in it. A jack on the rear of the V8100A series allows use of the optional foot or hand switch to control vacuum during pick and place operations. The SMD-VAC-HP comes complete with the following features:

- Quiet operation.
- 4 feet of coiled vacuum hose, #VCH-1/16-4.
- A set of nine vacuum tips, #VCS-9-B.
- A vacuum pick-up handle, VVP-200.
- 12 volt DC power source.
- Automatic vacuum pump ON/OFF control.
- Rubber no-skid feet.
- ESD connection on rear of unit.
- Produces vacuum of over fifteen inches of mercury.

V8100A	BUY IT NOW	SMD-VAC-HP for 110 Volt	\$ 375.40	356.63	337.86
V8100A-FS	BUY IT NOW	SMD-VAC-HP with foot switch, for 110 Volt	\$ 415.80	395.01	374.22
V8100A-HS	BUY IT NOW	SMD-VAC-HP with hand switch, for 110 Volt	\$ 415.80	395.01	374.22
V8100A-220	BUY IT NOW	SMD-VAC-HP for 220 Volt	\$ 398.50	378.58	358.65
V8100A-220-FS	BUY IT NOW	SMD-VAC-HP with foot switch, for 220 Volt	\$ 438.90	416.96	395.01
V8100A-220-HS	BUY IT NOW	SMD-VAC-HP with hand switch, for 220 Volt	\$ 438.90	416.96	395.01
V8100	BUY IT NOW	SMD-VAC-HP, NO SOLENOID or foot/hand switch connection, for 110 Volt	\$ 311.85	296.26	280.67
V8100-220	BUY IT NOW	SMD-VAC-HP, NO SOLENOID or foot/hand switch connection, for 220 Volt	\$ 334.95	318.20	301.46

Refer to pages 37-38 for small parts tips

Replacement Vacuum Tip Kits

This kit contains five bent probes with 3/32" (2.38mm), 1/8" (3.18mm), 3/16" (4.76mm), 1/4" (6.35mm), and 3/8" (9.53mm), as well as four straight probes with 1/8" (3.18mm), 1/4" (6.35mm), 3/8" (9.53mm) and 1/2" (12.70mm).

VCS-9-B	BUY IT NOW	Replacement probe/cup - Static Dissipative Buna-N Vacuum Cups	\$ 18.85	17.91	16.96
VCS-9-ESD	BUY IT NOW	Replacement probe/cup - Conductive Silicone Cups	\$ 18.85	17.91	16.96

**Foot or Hand Switch With Vacuum Pen**

Can be used with V8100A tools that have the optional solenoid at rear of unit. (This kit includes handle V3021 on page 35).

VFS-1	BUY IT NOW	Foot switch	\$ 52.00	49.40	46.80
VHS-1	BUY IT NOW	Hand switch	\$ 52.00	49.40	46.80

Vacuum Tips Holder

Table top luer slip vacuum tips holder with non-slip rubber feet. Posts will accommodate up to sixteen of our luer slip vacuum tips.

VTH-16	BUY IT NOW	Table top holder, holds up to sixteen luer slip vacuum tips.	\$ 41.95	39.85	37.75
---------------	-------------------	--	----------	-------	-------



1-9
10-24
25-up
PRICE EACH

技术咨询与报价
电话: 18823303057 QQ:2104028976



The SMD-VAC® pick-and-place tools provide a bench top vacuum generator. The whisper quiet operation makes these the choice tools for many pcb assembly operations. Parts ranging in size from 0.0075" (0.19mm) up to 4" (100mm) can easily be handled.

SMD-VAC-HP
3" X 2 1/2" X 6"
(76mm X 64mm X 152mm)



SMD-VAC
Tips
Included

OPTIONAL FOOT SWITCH**OPTIONAL HAND SWITCH**

Prices subject to change without notice.