

SIPEL FLUSH CUTTING TWEEZERS 齐平剪切镊子

15A Series

Hardened Polished Carbon Steel 坚硬抛光抛光碳钢




Switzerland

技术咨询与报价

电话: 18823303057 QQ:2104028976

D

- Transverse End Cutting
- Nickel Plated Carbon Steel




A = 11.5 mm - .45"
B = 11.5 mm - .45"
C = 95 mm - 3 3/4"



15AC

- Flat Head
- Tip Cutting



A = 7 mm - .28"
B = 8 mm - .30"
C = 115 mm - 4 1/2"




15AP

- Flat Head
- Parallel Cutting

15AP-SA

- same as above
- Stainless Antiacid Antimagnetic Steel




A = 10 mm - .40"
B = 8 mm - .30"
C = 115 mm - 4 1/2"



15AP-T

- Flat Head
- Parallel Cutting
- CARBIDE BLADES




A = 10 mm - .40"
B = 8 mm - .30"
C = 115 mm - 4 1/2"



15A-FW

- Flat Head
- Tip Cutting



A = 9 mm - .35"
B = 8 mm - .30"
C = 115 mm - 4 1/2"




15A-GW

- Flat Head
- Tip Cutting

15A-GW-SA

- same as above
- Stainless Antiacid Antimagnetic Steel




A = 10 mm - .40"
B = 8 mm - .30"
C = 115 mm - 4 1/2"



15A-NW

- Rounded Head
- Tip Cutting



A = 9 mm - .35"
B = 8 mm - .30"
C = 115 mm - 4 1/2"



15A-SW


- Rounded Head
- Tip Cutting

15A-SW-SA

- Stainless Antiacid Antimagnetic Steel

15AP-SW

- Rounded Head
- Parallel Cutting



A = 10 mm - .40"
B = 8 mm - .30"
C = 115 mm - 4 1/2"



Sipel FLUSH CUTTING TWEEZERS 瑞士环球sipel剪切镊子


Miniature 215A Series 微型215A系列

Hardened Polished Carbon Steel



215A

- Flat Head
- Micro Cut




A = 5.5 mm - .22"
B = 8 mm - .30"
C = 115 mm - 4 1/2"



215AS

- Rounded Head
- Micro Cut




A = 5.5 mm - .22"
B = 8 mm - .30"
C = 115 mm - 4 1/2"



215ASM

- Rounded Head
- Micro Cut




A = 3.5 mm - .10"
B = 6.5 mm - .25"
C = 115 mm - 4 1/2"



215B

- Flat Head
- Micro Cut



A = 2.5 mm - .10"
B = 4.5 mm - .18"
C = 115 mm - 4 1/2"




FLUSH CUTTING TWEEZERS

15A and Miniature 215A Series

Black Epoxy Coated With Patented EZ Lever 黑色环氧涂层带专利EZ杠杆

15AC-EZ

- Flat Head
- Tip Cutting
- Black Epoxy Coated




A = 7 mm - .28"
B = 8 mm - .30"
C = 115 mm - 4 1/2"



15A-GW-EZ

- Flat Head
- Tip Cutting
- Black Epoxy Coated




A = 10 mm - .40"
B = 8 mm - .30"
C = 115 mm - 4 1/2"



15AP-EX

- Flat Head
- Parallel Cutting
- Black Epoxy Coated




A = 10 mm - .40"
B = 8 mm - .30"
C = 115 mm - 4 1/2"



15AP-EZ

- Flat Head
- Parallel Cutting
- Black Epoxy Coated



A = 10 mm - .40"
B = 8 mm - .30"
C = 115 mm - 4 1/2"



SIPEL FLUSH CUTTING TWEEZERS 齐平剪切镊子


15A and Miniature 215A Series 15A系列和215A微型系列

Black Epoxy Coated With Patented EZ Lever 黑色环氧涂层带专利EZ杠杆



15A-SW-EZ

- Rounded Head
- Tip Cutting
- Black Epoxy Coated



A = 10 mm - .40"
B = 8 mm - .30"
C = 115 mm - 4 1/2"




技术咨询与报价

215A-EZ

电话: 18823303057 QQ:2104028976

- Flat Head
- Micro Cut
- Black Epoxy Coated




A = 5.5 mm - .22"
B = 8 mm - .30"
C = 115 mm - 4 1/2"



215AB-EZ

- Flat Head
- Micro Cut
- Black Epoxy Coated




A = 4 mm - .16"
B = 4.5 mm - .18"
C = 115 mm - 4 1/2"



215AE-EZ

- Flat Head
- Micro Cut
- Black Epoxy Coated




A = 2.5 mm - .10"
B = 3.5 mm - .18"
C = 115 mm - 4 1/2"



215ASM-EZ

- Rounded Head
- Micro Cut
- Black Epoxy Coated




A = 3.5 mm - .14"
B = 6.5 mm - .25"
C = 115 mm - 4 1/2"



215AS-EZ

- Rounded Head
- Micro Cut
- Black Epoxy Coated




A = 5.5 mm - .22"
B = 8 mm - .30"
C = 115 mm - 4 1/2"



215AM-EZ

- Flat Head
- Micro Cut
- Black Epoxy Coated




A = 3.5 mm - .14"
B = 6.5 mm - .25"
C = 115 mm - 4 1/2"



215B-EZ

- Flat Head
- Micro Cut
- Black Epoxy Coated



A = 2.5 mm - .10"
B = 4.5 mm - .18"
C = 115 mm - 4 1/2"



SIPEL FLUSH CUTTING TWEEZERS 瑞士环球剪切镊子

315A Series "Red Dot" With Stronger Blades 315A红点系列更坚硬刃口
Black Epoxy Coated With Patented EZ Lever 黑色环氧涂层带专利EZ杠杆




技术咨询与报价

电话: 18823303057 QQ:2104028976

315AB-EZ

- Micro Strong Cut
- Black Epoxy Coated
- Red Dot




A = 4 mm - .16"
B = 4.5 mm - .18"
C = 95 mm - 3 3/4"



315A-GW-EZ

- Micro Strong Cut
- Tip Cutting
- Black Epoxy Coated
- Red Dot




A = 10 mm - .40"
B = 8 mm - .30"
C = 115 mm - 4 1/2"



315AC-EZ

- Micro Strong Cut
- Tip Cutting
- Black Epoxy Coated
- Red Dot




A = 7 mm - .28"
B = 8 mm - .30"
C = 115 mm - 4 1/2"



315A-NW-EZ

- Micro Strong Cut
- Tip Cutting
- Black Epoxy Coated
- Red Dot




A = 9 mm - .35"
B = 8 mm - .30"
C = 115 mm - 4 1/2"



315A-SW-EZ

- Micro Strong Cut
- Tip Cutting
- Black Epoxy Coated
- Red Dot




A = 10 mm - .40"
B = 8 mm - .30"
C = 115 mm - 4 1/2"



315AE-EZ

- Micro Strong Cut
- Black Epoxy Coated
- Red Dot




A = 2.5 mm - .10"
B = 3.5 mm - .14"
C = 115 mm - 4 1/2"



315AM-EZ

- Micro Strong Cut
- Black Epoxy Coated
- Red Dot




A = 3.5 mm - .14"
B = 6.5 mm - .25"
C = 115 mm - 4 1/2"



315ASM-EZ

- Micro Strong Cut
- Black Epoxy Coated
- Red Dot



A = 3.5 mm - .14"
B = 6.5 mm - .25"
C = 115 mm - 4 1/2"



Other Models Available Upon Request