

Stainless Steel Wire Cutters

Tungsten Alloy or Insert Cutting Blades

Designed for cutting hard wire including Nitinol, Elgiloy, and Tungsten.

技术咨询与报价

★★★★★ **Five Star**

Fine Hard Wire Cutting

Tungsten Alloy, Maximum Flush Cut

电话: 18823303057 QQ:2104028976

★★★★★ **Four Star**

General Hard Wire Cutting

Insert Blades, Semi Flush Cut

5" Small Head "Insert" Cutter

A	B	C	D	E
.650"	.375"	.375"	-	0°

PART #	TYPE OF CUT	CUTTING CAPACITY
1003EH	SF	.006" - .015"

4 3/4" Tapered Relief Cutter

A	B	C	D	E
.370"	.245"	.380"	.020"	16°

7237EH	MF	.003" - .010"
--------	----	---------------

5" Angulated "Insert" Cutter

A	B	C	D	E
.700"	.290"	.375"	.020"	45°

1006EH	SF	.006" - .015"
--------	----	---------------

5" Precision Angulated Cutter

A	B	C	D	E
.650"	.270"	.400"	.020"	50°

7282EH	MF	.003" - .007"
--------	----	---------------

5" Round Head "Insert" Cutter

A	B	C	D	E
.750"	.375"	.500"	-	50

1200EH	SF	.010" - .028"
--------	----	---------------

4 3/4" Miniature Head Cutter

A	B	C	D	E
.370"	.245"	.380"	-	16°

7230EH	SF	.005" - .013"
7231EH	MF	.003" - .010"

6" Compound Action Carbide Cutter

A	B	C	D	E
.500"	.450"	.625"	.030"	10°


147AT	SF	.010" - .030"
-------	----	---------------

5" Round Relief Head Cutter

A	B	C	D	E
.490"	.350"	.430"	-	16°

7213EH	SF	.008" - .015"
--------	----	---------------

TYPE OF CUT




★★★★★

Five Star 7200 Series Cutters

New ESD Safe Teal Grips – Made in the USA

Edge hardened to 63/65 – Stainless Steel Leaf Springs



技术咨询与报价

电话: 18823303057 QQ:2104028976

4 3/4" Small Round Head ★★★★★

A	B	C	D	E
.370"	.245"	.380"	–	16°

PART #	TYPE OF CUT	CUTTING CAPACITY
7230E	SF	.008"–.040"
7231E	MF	.005"–.040"
7232E	OF	.003"–.032"

4 7/8" Medium Round Head ★★★★★

A	B	C	D	E
.440"	.320"	.430"	–	16°

7240E	SF	.008"–.040"
7241E	MF	.005"–.040"
7242E	OF	.003"–.032"

4 7/8" Tapered Head Cutter ★★★★★

A	B	C	D	E
.440"	.320"	.430"	.050"	16°

7243E	SF	.008"–.040"
7244E	MF	.005"–.040"
7245E	OF	.002"–.032"

4 7/8" Tapered Relieved Cutter ★★★★★

A	B	C	D	E
.440"	.320"	.430"	.050"	16°

7246E	SF	.008"–.036"
7247E	MF	.005"–.036"
7248E	OF	.002"–.028"

5" Miniature Angulated Head ★★★★★

A	B	C	D	E
.710"	.160"	.430"	–	50

7275E	OF	.001"–.018"
-------	----	-------------

5" Medium Angulated Head ★★★★★

A	B	C	D	E
.710"	.220"	.430"	–	50°

7282E	OF	.003"–.025"
-------	----	-------------

5" Large Angulated Head ★★★★★

A	B	C	D	E
.710"	.310"	.430"	–	50°

7272E	OF	.005"–.032"
-------	----	-------------

5" Transverse End Cutter ★★★★★

A	B	C	D	E
.710"	.080"	.430"	.090"	90°

7274E	OF	.001"–.020"
-------	----	-------------

5" Small Tip Cutter ★★★★★

A	B	C	D	E
.550"	.125"	.430"	–	10°

7271E	OF	.001"–.010"
-------	----	-------------

5" Medium Tip Cutter ★★★★★

A	B	C	D	E
.900"	.280"	.430"	–	10°

7270E	OF	.001"–.020"
-------	----	-------------

5" Relieved Tip Cutter ★★★★★

A	B	C	D	E
.590"	.170"	.430"	–	10°



7249E	OF	.001"–.020"
-------	----	-------------

★★★★★ Five Star 7100 Series Cutters

ESD Safe Soft Foam Cushion Grips
Long Ergonomic Handles—Made in the USA

Edge harden to 63/65 – Stainless Steel Leaf Springs

技术咨询与报价
 电话: 18823303057 QQ:2104028976



5 7/8" Round Head Cutter ★★★★★

A	B	C	D	E
.440"	.320"	.430"	—	16°

PART #	TYPE OF CUT	CUTTING CAPACITY
7140E	OF	.008" – .040"
7141E	MF	.005" – .040"
7142E	OF	.003" – .032"

5 7/8" Tapered Head Cutter ★★★★★

A	B	C	D	E
.440"	.320"	.430"	.050"	16°

7143E	OF	.008" – .040"
7144E	MF	.005" – .040"
7145E	OF	.002" – .032"

5 7/8" Tapered Relieved Head ★★★★★

A	B	C	D	E
.440"	.320"	.430"	.050"	16°

7146E	OF	.008" – .036"
7147E	MF	.005" – .036"
7148E	OF	.002" – .028"

5 7/8" Large Round Head ★★★★★

A	B	C	D	E
.510"	.400"	.430"	—	16°

7150E	SF	.015" – .050"
7151E	MF	.012" – .050"
7111E	OP	.008" – .045"

6" Miniature Angulated Head ★★★★★

A	B	C	D	E
.710"	.160"	.430"	—	50°

7175E	OF	.001" – .018"
-------	----	---------------

6" Medium Angulated Head ★★★★★

A	B	C	D	E
.710"	.220"	.430"	—	50°

7182E	OF	.003" – .025"
-------	----	---------------

6" Large Angulated Head ★★★★★

A	B	C	D	E
.710"	.310"	.430"	—	50°

7172E	OF	.005" – 0.32"
-------	----	---------------

6" Angulated Head ★★★★★

A	B	C	D	E
.550"	.165"	.430"	—	70°

7183E	OF	.001" – 0.10"
-------	----	---------------

6" Small Tip Cutter ★★★★★

A	B	C	D	E
.550"	.125"	.430"	—	10°

7171E	OF	.001" – .010"
-------	----	---------------

6" Medium Tip Cutter ★★★★★

A	B	C	D	E
.900"	.280"	.430"	—	10°

7170E	OF	.001" – .020"
-------	----	---------------

6" Transverse End Cutter ★★★★★

A	B	C	D	E
.710"	.080"	.430"	.090"	90°

7174E	OF	.001" – .020"
-------	----	---------------